

# Performance of Field Corn Hybrids In Alabama, 2018



Feed grinder in Opelika 1925

Source: Auburn University Library Archives

**Dept. Series No. CSES2018: Corn**

**Dr. John Beasley, Dept. Head**

**Crop, Soil and Environmental Sciences**

**Dr. Paul Patterson, Director Ala. Agric. Exp. Station**

**Auburn University, Auburn AL**

**November 2018**



# Performance of Field Corn Hybrids in Alabama, 2018

K. M. Glass, D. P. Delaney, C. D. Monks, and J. Brasher<sup>1</sup>

<sup>1</sup>Agric. Program Assoc. Advisor III; Ext. Agronomist; Prof. & Crops Agronomist; and Field & Media Research Coordinator II, resp.

Dept. of Crop, Soil & Environmental Sciences, Auburn University, AL 36849

*“The mission of the Alabama Variety Testing Program is to provide research-based, unbiased results on the performance of various crop hybrids, cultivars, and varieties to the agricultural community in our state. We are intent on conducting these trials in a manner that will result in maximum biological yield through methods common to the top-producing farms in Alabama. We are committed to providing this information in a rapid, timely manner for its use during the decision-making process. The success of the program rests upon our ability to help Alabama producers provide a safe, dependable source of food and fiber for all families as well as economic sustainability for theirs.”*

Field corn hybrids were evaluated in 2018 by the Alabama Agricultural Experiment Station as a service to producers, crop advisors, and industry. Field trials on corn hybrid performance were conducted on experiment stations throughout the state to evaluate yield performance under different climatic factors and soil types. Non-irrigated, conventional tillage trials were conducted at two locations in the northern region, two locations in the central region, and two locations in the southern region. The non-irrigated location at E.V. Smith Field Crops Unit in central Alabama was “no-till”. In addition, an irrigated, conventional tillage corn hybrid test was conducted in the northern region at Belle Mina (TVREC), and in the central region at Prattville (PARU) and the southern region at Fairhope (GCREC).

## Methods

Field trials at all locations were conducted with hybrids arranged in a “randomized complete block design” with four replications. Plots were 2, 30- or 36-inch wide rows that were 20 to 30 feet long, according to the location (Table 1). Planting rate was 28,000 or 32,000 seeds/acre. The entire plot was machine-harvested for yield and grain moisture content recorded. Grain yields were adjusted to 15.5% moisture and converted to yield (bushels/acre). No significant lodging was noted at any location.

## Tables

*\*Abbreviations: REC, Research and Extension Center; ARU, Agricultural Research Unit*

---

### 2018 Field Corn Hybrid Yield Performance

Table 1. Locations and cultural practices for the Alabama 2018 field corn hybrid trials.

#### Northern Region

Table 2. Performance of non-irrigated field corn hybrids in North Alabama, TVREC, Belle Mina

Table 3. Performance of irrigated field corn hybrids in North Alabama, TVREC, Belle Mina

Table 4. Performance of non-irrigated field corn hybrids in Northeast Alabama, SMREC, Crossville

#### Central Region

Table 5. Performance of no-till field corn hybrids in Central Alabama, EV Smith, Shorter

Table 6. Performance of non-irrigated field corn hybrids in Central Alabama, PARU, Prattville

Table 7. Performance of irrigated field corn hybrids in Central Alabama, PARU, Prattville

#### Southern Region

Table 8. Performance of non-irrigated field corn hybrids in South Alabama, BARU, Brewton

Table 9. Performance of non-irrigated field corn hybrids in Southwest Alabama, GCREC, Fairhope

Table 10. Performance of irrigated field corn hybrids in Southwest Alabama, GCREC, Fairhope

Table 11. 2018 Rainfall measurements at Alabama research sites

Table 12. Soil types for Alabama field corn trials, 2018

Table 13. Sources of 2018 Field Corn Hybrid Trials

**Table 1. Locations and Cultural Practices for the 2018 Corn Hybrid Trials**

<b>Location</b>	<b>Planting date</b>	<b>Nitrogen rate *</b> (lbs/ac)	<b>Plant pop.</b> (seeds/ac)	<b>Date harvested</b>	<b>Herbicides used</b>
<b>North Alabama</b>					
<b>Tennessee Valley REC (Belle Mina)</b>					
Regular test (Non-Irrigated)	April 5	175	28,000	September 20	Atrazine/Dual
Regular test (Irrigated) 3.6 inches total	April 5	250	32,000	September 21	Atrazine/Dual
<b>Sand Mountain REC (Crossville)</b>					
Regular test	May 1	120	28,000	September 19	Atrazine
<b>Central Alabama</b>					
<b>E.V. Smith Research Center (Shorter)</b>					
No-till test	April 3	140	32,000	August 24	Atrazine
<b>Prattville Agricultural Res. Unit (Prattville)</b>					
Regular test (Non-Irrigated)	April 9	140	28,000	September 18	Atrazine/Dual
Regular test (Irrigated) 0.73 inches total	March 29	200	32,000	September 18	Atrazine/Dual
<b>South Alabama</b>					
<b>Brewton Agricultural Res. Unit (Brewton)</b>					
Regular test	March 26	230	28,000	September 4	Atrazine/Dual
<b>Gulf Coast REC (Fairhope)</b>					
Regular test (Non-Irrigated)	March 26	180	28,000	August 30	Atrazine/Dual
Regular test (Irrigated) 3.0 inches total	March 26	250	32,000	August 30	Atrazine/Dual
* Lime, phosphorus, potassium, zinc, and sulfur were applied according to soil test recommendations.					

**Table 2. Performance of Non-Irrigated Field Corn Hybrids in North Alabama, 2018**

<b>Tennessee Valley Research &amp; Extension Center - Belle Mina, AL</b>			
<b>Yield rank</b>	<b>Hybrid</b>	<b>Yield bu/acre</b>	<b>Test weight</b>
1	AgriGold A645-10VT2RIB	211	61.0
2	Dyna-Gro D55VC45	210	60.6
3	AgriGold A6659VT2RIB	210	60.7
4	DynaGro D58VC65	208	61.4
5	Local Seed AV8614VYHR	204	59.7
6	Terral REV 23BHR55	203	58.8
7	Terral REV 28BHR18	203	60.3
8	Dyna-Gro D57VC51	202	61.5
9	AgriGold A6572VT2RIB	201	61.6
10	Terral REV 24BHR99	201	60.4
11	Dekalb DKC 68-69	201	62.2
12	AgriGold A6544VT2RIB	196	59.5
13	Augusta 1266 VT2PD	195	61.5
14	Dyna-Gro D54VC14	195	60.7
15	Terral REV 27BHR79	194	62.8
16	Augusta 1367-3220 GTD	193	59.0
17	Terral REV 25BHR89	193	60.1
18	Dekalb DKC 70-27	192	60.6
19	Terral REV 25BHR26	189	61.4
20	Dyna-Gro D52VC63	187	59.6
21	AgriGold A646-12STX	186	60.5
22	AgriGold A647-90VT2RIB	186	61.0
23	Local Seed LC1776VT2P	185	61.4
24	Local Seed LC1577VT2P	185	61.4
25	AgriGold A6711VT2PRO	184	60.5
26	Local Seed RL8430VYHR	183	58.4
27	Augusta 5065-3111 GTD	183	61.9
28	Dyna-Gro CX17117	181	61.6
29	Local Seed LC1878VT2P	181	61.0
30	Dekalb DKC 69-16	180	61.0
31	Mission Seed A1857SS	180	61.2
32	Mission Seed MEX1548DGVT2P	179	59.9
33	DynaGro D 56VC46	179	60.6
34	Local Seed LC1987VT2P	169	61.9
35	Mission Seed MEX1308VT2P	164	59.7
	<b>Grand mean</b>	<b>191</b>	
	<b>CV (%)</b>	<b>8</b>	
	<b>LSD (0.1)</b>	<b>11</b>	
	<b>Pr&gt;F</b>	<b>0.0004</b>	

**Table 3. Performance of Irrigated Field Corn Hybrids in North Alabama, 2018**

<b>Tennessee Valley Research &amp; Extension Center - Belle Mina, AL</b>			
<b>Yield rank</b>	<b>Hybrid</b>	<b>Yield bu/acre</b>	<b>Test weight</b>
1	Dekalb DKC 70-27	274	62.2
2	Dekalb DKC 68-69	268	62.9
3	AgriGold A6572VT2RIB	261	61.9
4	Terral REV 28BHR18	261	61.9
5	Local Seed AV8614VYHR	257	61.9
6	AgriGold A6659VT2RIB	255	62.4
7	Mission Seed MEX1548DGV2P	253	62.2
8	Dyna-Gro D55VC45	252	61.8
9	Augusta 1367-3220 GTD	249	60.8
10	Terral REV 24BHR99	247	61.3
11	Local Seed RL8430VYHR	247	60.5
12	AgriGold A645-10VT2RIB	246	62.2
13	Terral REV 25BHR26	246	63.1
14	Augusta 5065-3111 GTD	246	62.9
15	Mission Seed A1857SS	245	63.3
16	Dyna-Gro D52VC63	244	61.2
17	DynaGro D58VC65	244	63.3
18	AgriGold A646-12STX	243	62.3
19	Augusta 1266 VT2PD	241	62.5
20	Dyna-Gro D54VC14	240	62.7
21	Local Seed LC1776VT2P	239	63.0
22	AgriGold A6711VT2PRO	237	62.1
23	Local Seed LC1878VT2P	237	62.4
24	Terral REV 27BHR79	236	63.4
25	Dyna-Gro D57VC51	236	62.5
26	Local Seed LC1987VT2P	233	63.9
27	Terral REV 25BHR89	233	61.4
28	Dyna-Gro CX17117	233	62.9
29	Terral REV 23BHR55	231	61.2
30	AgriGold A6544VT2RIB	230	60.2
31	AgriGold A647-90VT2RIB	229	62.4
32	Local Seed LC1577VT2P	229	62.5
33	DynaGro D 56VC46	221	61.7
34	Dekalb DKC 69-16	219	62.7
35	Mission Seed MEX1308VT2P	214	60.5
	<b>Grand mean</b>	<b>242</b>	
	<b>CV (%)</b>	<b>6</b>	
	<b>LSD (0.1)</b>	<b>11</b>	
	<b>Pr&gt;F</b>	<b>0.0001</b>	

**Table 4. Performance of Non-Irrigated Field Corn Hybrids in Northeast Alabama, 2018**

<b>Sand Mountain Research &amp; Extension Center - Crossville, AL</b>			
<b>Yield rank</b>	<b>Hybrid</b>	<b>Yield bu/acre</b>	<b>Test weight</b>
1	Dekalb DKC 68-69	209	59.8
2	Dekalb DKC 70-27	204	57.3
3	AgriGold A6572VT2RIB	192	58.7
4	Dyna-Gro D54VC14	186	58.2
5	DynaGro D58VC65	185	58.4
6	Local Seed LC1878VT2P	183	59.0
7	AgriGold A647-90VT2RIB	182	58.5
8	Local Seed AV8614VYHR	182	56.5
9	Dyna-Gro D52VC63	179	56.9
10	Dyna-Gro D57VC51	178	57.7
11	Mission Seed MEX1548DGVT2P	178	56.8
12	Terral REV 25BHR89	177	56.9
13	DynaGro D 56VC46	177	58.4
14	Terral REV 27BHR79	175	59.1
15	Dekalb DKC 69-16	171	57.9
16	Augusta 1266 VT2PD	171	58.1
17	AgriGold A646-12STX	170	58.2
18	Dyna-Gro D55VC45	169	57.6
19	Mission Seed A1857SS	169	59.1
20	AgriGold A6659VT2RIB	166	57.5
21	Terral REV 23BHR55	166	55.8
22	Dyna-Gro CX17117	164	59.1
23	AgriGold A6711VT2PRO	162	57.4
24	Terral REV 24BHR99	162	56.6
25	Augusta 5065-3111 GTD	161	59.7
26	Local Seed RL8430VYHR	158	55.7
27	Local Seed LC1577VT2P	157	58.2
28	Terral REV 25BHR26	157	58.4
29	AgriGold A645-10VT2RIB	155	57.4
30	Local Seed LC1776VT2P	154	58.1
31	AgriGold A6544VT2RIB	152	55.9
32	Augusta 1367-3220 GTD	152	55.2
33	Terral REV 28BHR18	151	57.8
34	Local Seed LC1987VT2P	151	58.9
35	Mission Seed MEX1308VT2P	144	57.3
	<b>Grand mean</b>	<b>170</b>	
	<b>CV (%)</b>	<b>14</b>	
	<b>LSD (0.1)</b>	<b>16</b>	
	<b>Pr&gt;F</b>	<b>0.0202</b>	

**Table 5. Performance of No-Till Field Corn Hybrids in Central Alabama, 2018**

<b>E.V. Smith Research &amp; Extension Center - Shorter, AL</b>			
<b>Yield rank</b>	<b>Hybrid</b>	<b>Yield bu/acre</b>	<b>Test weight</b>
1	Dyna-Gro D54VC14	138	59.0
2	Dyna-Gro D57VC51	137	58.7
3	DynaGro D58VC65	136	59.9
4	AgriGold A646-12STX	134	58.4
5	AgriGold A6711VT2PRO	133	58.5
6	AgriGold A647-90VT2RIB	132	59.1
7	AgriGold A6572VT2RIB	131	60.1
8	Local Seed LC1577VT2P	128	58.5
9	Dekalb DKC 69-16	126	59.4
10	Dekalb DKC 68-69	124	59.6
11	Local Seed LC1987VT2P	124	60.0
12	Local Seed LC1776VT2P	124	58.6
13	DynaGro D 56VC46	121	57.3
14	Terral REV 27BHR79	120	60.5
15	Local Seed LC1878VT2P	119	59.7
16	AgriGold A6659VT2RIB	118	57.5
17	AgriGold A645-10VT2RIB	118	58.7
18	Local Seed RL8430VYHR	117	56.1
19	Terral REV 28BHR18	115	59.5
20	Terral REV 24BHR99	113	56.2
21	AgriGold A6544VT2RIB	113	57.5
22	Dekalb DKC 70-27	110	57.9
23	Terral REV 25BHR89	108	57.0
24	Terral REV 25BHR26	107	59.1
25	Local Seed AV8614VYHR	105	57.4
26	Terral REV 23BHR55	100	56.4
	<b>Grand mean</b>	<b>121</b>	
	<b>CV (%)</b>	<b>12</b>	
	<b>LSD (0.1)</b>	<b>11</b>	
	<b>Pr&gt;F</b>	<b>0.0143</b>	

**Table 6. Performance of Non-Irrigated Field Corn Hybrids in Central Alabama, 2018**

<b>Prattville Agricultural Research Unit - Prattville, AL</b>			
<b>Yield rank</b>	<b>Hybrid</b>	<b>Yield bu/acre</b>	<b>Test weight</b>
1	AgriGold A6659VT2RIB	166	57.5
2	Dekalb DKC 68-69	158	57.8
3	Terral REV 25BHR89	157	57.3
4	Dekalb DKC 69-16	156	58.5
5	Dyna-Gro D57VC51	154	56.4
6	DynaGro D58VC65	154	59.0
7	Terral REV 28BHR18	153	56.7
8	AgriGold A6572VT2RIB	153	58.3
9	Local Seed LC1577VT2P	149	58.0
10	Local Seed LC1776VT2P	148	57.2
11	AgriGold A646-12STX	148	59.1
12	Terral REV 24BHR99	145	55.8
13	AgriGold A6544VT2RIB	144	57.1
14	Terral REV 27BHR79	144	58.9
15	Dyna-Gro D54VC14	143	58.0
16	Terral REV 25BHR26	143	57.2
17	Local Seed LC1878VT2P	142	56.4
18	AgriGold A6711VT2PRO	141	56.4
19	Local Seed AV8614VYHR	141	55.8
20	DynaGro D 56VC46	140	55.0
21	Terral REV 23BHR55	137	54.6
22	AgriGold A645-10VT2RIB	133	57.0
23	Dekalb DKC 70-27	129	57.1
24	Local Seed RL8430VYHR	128	54.3
25	Local Seed LC1987VT2P	127	54.4
26	AgriGold A647-90VT2RIB	121	54.4
	<b>Grand mean</b>	<b>144</b>	
	<b>CV (%)</b>	<b>8</b>	
	<b>LSD (0.1)</b>	<b>9</b>	
	<b>Pr&gt;F</b>	<b>0.0001</b>	



<b>Table 7. Performance of Irrigated Field Corn Hybrids in Central Alabama, 2018</b>			
<b>Prattville Agricultural Research Unit - Prattville, AL</b>			
<b>Yield rank</b>	<b>Hybrid</b>	<b>Yield bu/acre</b>	<b>Test weight</b>
1	AgriGold A6711VT2PRO	188	57.1
2	Dekalb DKC 68-69	185	56.8
3	Dekalb DKC 69-16	184	57.9
4	DynaGro D58VC65	183	57.2
5	Dekalb DKC 70-27	182	57.2
6	AgriGold A6572VT2RIB	182	59.2
7	Terral REV 28BHR18	181	57.4
8	Local Seed LC1776VT2P	180	58.2
9	Terral REV 25BHR89	180	56.9
10	AgriGold A646-12STX	179	59.1
11	Terral REV 23BHR55	178	54.6
12	AgriGold A6659VT2RIB	178	57.9
13	AgriGold A6544VT2RIB	178	56.1
14	Dyna-Gro D57VC51	178	58.0
15	Dyna-Gro D54VC14	176	57.4
16	Local Seed AV8614VYHR	176	56.1
17	Local Seed LC1577VT2P	175	59.0
18	Local Seed LC1878VT2P	175	56.2
19	Terral REV 25BHR26	172	58.7
20	Terral REV 27BHR79	172	60.4
21	DynaGro D 56VC46	169	59.0
22	AgriGold A645-10VT2RIB	164	56.6
23	Terral REV 24BHR99	164	57.2
24	Local Seed RL8430VYHR	162	54.4
25	AgriGold A647-90VT2RIB	159	56.9
26	Local Seed LC1987VT2P	154	58.4
	<b>Grand mean</b>	<b>175</b>	
	<b>CV (%)</b>	<b>10</b>	
	<b>LSD (0.1)</b>	<b>12</b>	
	<b>Pr&gt;F</b>	<b>0.4554</b>	

**Table 8. Performance of Non-Irrigated Field Corn Hybrids in South Alabama, 2018**

<b>Brewton Agricultural Research Unit - Brewton, AL</b>			
<b>Yield rank</b>	<b>Hybrid</b>	<b>Yield bu/acre</b>	<b>Test weight</b>
1	Terral REV 28BHR18	205	58.9
2	Terral REV 25BHR26	192	59.3
3	Local Seed AV8614VYHR	190	57.1
4	Terral REV 25BHR89	186	58.6
5	Dekalb DKC 68-69	185	58.5
6	Local Seed RL8430VYHR	183	59.0
7	Dekalb DKC 69-16	181	59.1
8	Local Seed LC1878VT2P	178	59.5
9	Terral REV 27BHR79	178	58.9
10	Dyna-Gro D54VC14	174	59.3
11	Dekalb DKC 70-27	173	57.2
12	Terral REV 24BHR99	172	59.3
13	Dyna-Gro D55VC45	172	58.9
14	Local Seed LC1776VT2P	171	59.2
15	DynaGro D58VC65	170	57.7
16	Local Seed LC1987VT2P	162	58.9
17	Terral REV 23BHR55	161	57.8
18	Dyna-Gro D57VC51	159	57.1
19	Local Seed LC1577VT2P	156	59.1
20	DynaGro D 56VC46	149	58.9
	<b>Grand mean</b>	<b>175</b>	
	<b>CV (%)</b>	<b>8</b>	
	<b>LSD (0.1)</b>	<b>10</b>	
	<b>Pr&gt;F</b>	<b>0.0001</b>	

**Table 9. Performance of Non-Irrigated Field Corn Hybrids in Southwest Alabama, 2018**

<b>Gulf Coast Research &amp; Extension Center - Fairhope, AL</b>			
<b>Yield rank</b>	<b>Hybrid</b>	<b>Yield bu/acre</b>	<b>Test weight</b>
1	DynaGro D58VC65	221	56.7
2	Terral REV 25BHR89	220	57.4
3	Terral REV 23BHR55	220	55.7
4	Terral REV 24BHR99	214	56.3
5	Terral REV 25BHR26	213	57.7
6	Dyna-Gro D55VC45	209	57.7
7	Local Seed RL8430VYHR	209	55.4
8	Terral REV 27BHR79	208	58.8
9	Dekalb DKC 69-16	206	58.8
10	Local Seed LC1878VT2P	203	59.4
11	Local Seed AV8614VYHR	202	58.3
12	Local Seed LC1577VT2P	200	56.9
13	Dyna-Gro D57VC51	198	57.7
14	Local Seed LC1776VT2P	198	58.7
15	DynaGro D 56VC46	196	57.6
16	Dekalb DKC 68-69	193	54.4
17	Dyna-Gro D54VC14	193	58.3
18	Dekalb DKC 70-27	191	56.0
19	Terral REV 28BHR18	189	55.9
20	Local Seed LC1987VT2P	178	57.6
	<b>Grand mean</b>	<b>203</b>	
	<b>CV (%)</b>	<b>9</b>	
	<b>LSD (0.1)</b>	<b>13</b>	
	<b>Pr&gt;F</b>	<b>0.0789</b>	

<b>Table 10. Performance of Irrigated Field Corn Hybrids in Southwest Alabama, 2018</b>			
<b>Gulf Coast Research &amp; Extension Center - Fairhope, AL</b>			
<b>Yield rank</b>	<b>Hybrid</b>	<b>Yield bu/acre</b>	<b>Test weight</b>
1	Terral REV 25BHR26	244	59.9
2	Dyna-Gro D54VC14	240	60.0
3	Local Seed AV8614VYHR	240	60.0
4	Local Seed RL8430VYHR	238	58.2
5	Local Seed LC1776VT2P	237	60.6
6	Terral REV 25BHR89	234	59.5
7	Terral REV 23BHR55	231	60.3
8	Terral REV 27BHR79	226	60.8
9	Dyna-Gro D57VC51	225	60.3
10	Dyna-Gro D55VC45	224	58.3
11	Terral REV 24BHR99	223	59.7
12	DynaGro D58VC65	223	60.5
13	Dekalb DKC 70-27	219	59.6
14	Terral REV 28BHR18	216	60.3
15	Local Seed LC1987VT2P	214	59.1
16	Dekalb DKC 69-16	212	60.8
17	Dekalb DKC 68-69	212	58.4
18	DynaGro D 56VC46	212	59.8
19	Local Seed LC1878VT2P	208	61.3
20	Local Seed LC1577VT2P	197	59.8
	<b>Grand mean</b>	<b>224</b>	
	<b>CV (%)</b>	<b>8</b>	
	<b>LSD (0.1)</b>	<b>13</b>	
	<b>Pr&gt;F</b>	<b>0.0326</b>	

**Table 11. Rainfall Measurements at Alabama Research Sites - 2018**

----- Monthly rainfall in inches -----									
Location	Year	Mar.	Apr.	May	June	July	Aug.	Sept.	7-month total
<b>Belle Mina</b>									
	2018	4.9	9.2	3.8	5.1	2.5	4.9	3.5	33.9
	2017	6.0	3.9	6.8	7.4	6.8	2.7	4.6	38.2
	2016	3.2	3.8	1.6	1.9	3.1	6.6	0.2	20.4
<b>Crossville</b>									
	2018	6.5	7.3	2.4	6.0	4.3	4.1	6.2	36.8
	2017	6.8	5.3	10.2	8.4	7.3	2.4	6.4	46.8
	2016	4.0	3.6	2.9	3.0	4.7	2.7	1.2	22.1
<b>Shorter</b>									
	2018	5.0	3.5	4.7	5.0	3.1	4.6	5.5	31.4
	2017	5.2	5.2	8.7	10.1	6.0	2.8	4.2	42.2
	2016	5.6	8.6	1.7	2.6	4.4	3.9	1.2	28.0
<b>Prattville</b>									
	2018	4.3	3.8	8.3	3.7	6.4	5.5	6.5	38.5
	2017	3.5	1.6	10.0	16.0	7.6	4.4	2.3	45.4
	2016	3.2	12.1	2.1	4.2	1.3	5.3	1.4	29.6
<b>Brewton</b>									
	2018	5.0	5.5	6.0	9.6	6.2	9.9	7.9	50.1
	2017	4.6	2.9	12.7	18.0	7.6	10.3	4.1	60.2
	2016	8.2	11.2	3.9	3.9	7.4	5.8	2.9	43.3
<b>Fairhope</b>									
	2018	2.5	5.3	6.4	5.2	6.7	10.2	12.7	49.0
	2017	2.3	4.3	10.8	11.8	7.9	13.1	0.9	51.1
	2016	10.1	6.7	2.9	4.4	5.1	7.9	4.1	41.2

<b>Table 12. Soil Types for Corn trials, 2018</b>	
<b>Trial Location</b>	<b>Soil Type</b>
<b>North</b>	
Belle Mina	Decatur silt loam
Crossville	Wynnvillev fine sandy loam
<b>Central</b>	
Shorter	Norfolk sandy loam
Prattville	Lucedale fine sandy loam
<b>South</b>	
Brewton	Benndale fine sandy loam
Fairhope	Malbis fine sandy loam

<b>Table 13. Sources of 2018 Corn Hybrid Trial Seed</b>			
<b>Seed Company</b>	<b>Brand</b>	<b>Seed Company</b>	<b>Brand</b>
AgriGold Hybrids 5381 Akin Road St. Francisville, IL 62460	AgriGold	Mission Seed Solutions 516 N. Sharpe Ave. Cleveland, MS 38732	Mission Seed
Augusta Seed P.O. Box 899 Verona, VA 24482	Augusta	Monsanto Company 800 N. Lindbergh Blvd St. Louis, MO 63167	Dekalb DKC
Crop Production Services 25324 Hunstville Brownsferry Rd Madison, AL 35756	Dyna-Gro	Terral Seed, Inc. 117 Ellington Dr. Rayville, LA 71269	REV
Local Seed Company 802 Rozelle Street Memphis, TN 38104	Local Seed		

## Acknowledgements

We would like to express our appreciation for the work and dedication of the supervisory and staff personnel of the Alabama Agricultural Experiment Station outlying units without whom this work would not be possible. Thanks are also expressed to the producers and citizens of Alabama for supporting research on the production of food and fiber across our state.

---

### Alabama Agricultural Experiment Station Outlying Units Conducting Row Crop Variety Trials

---

#### Northern Region

##### **Sand Mountain Research and Extension Center, Crossville**

William Clements, Director

Clint McElmoyl, Assoc. Director

##### **Tennessee Valley Research and Extension Center, Belle Mina**

Chet Norris, Director

David Harkins, Assoc. Director



#### Central Region

##### **Black Belt Research and Extension Center, Marion Junction**

Jamie Yeager, Director

Gene Pegues, Assoc. Director

##### **E.V. Smith Research and Extension Center, Field Crops & Plant Breeding Unit, Tallassee**

Greg Pate, Director

Shawn Scott, Assoc. Director

Jason Burkett, Assoc. Director

##### **Prattville Agricultural Research Unit, Prattville**

Don Moore, Director



#### Southern Region

##### **Brewton Agricultural Research Unit, Brewton**

Malcomb Pegues, Director

Brad Miller, Assoc. Director

##### **Gulf Coast Research and Extension Center, Fairhope**

Malcomb Pegues, Director

Jarrold Jones, Assoc. Director

##### **Wiregrass Research and Extension Center, Headland**

Larry Wells, Director

Brian Gamble, Assoc. Director



*Issued in cooperation with the Alabama Cooperative Extension System, Dr. Gary Lemme, Director*

*Information contained herein is available to all persons regardless of race, color, sex, or national origin. Issued in furtherance of Cooperative Extension work in agriculture and home economics, Acts of May 8, and June 30, 1914, and other related acts, in cooperation with the U.S. Department of Agriculture. The Alabama Cooperative Extension System (Alabama A&M University and Auburn University) offers educational programs, materials, and equal opportunity employment to all people without regard to race, color, national origin, religion, sex, age, veteran status, or disability.*